



1C2446F0-93A9-4CCC-9894-6F1CC9D79226.jpeg



MFD. BY: TOYOTA MOTOR MANUFACTURING, TEXAS, INC.

GWR/PNBV: 3265KG

GAWR/PNBE:



FR/AUT 1810KG WITH/AVEC P275/55R20 TIRES/  
20X8J RIMS/JANTES AT/A 30PSI COLD/F  
RR/ARR 1880KG WITH/AVEC P275/55R20 TIRES/  
20X8J RIMS/JANTES AT/A 33PSI COLD/F  
ICES/NMB-002

TYPE TRU/CAM

5TFHY5F14DX317995



C/TR: 040/LG21  
A/TH: B02A/AB60F  
USX56L-PSTLKA  
MADE IN U.S.A.

415

EMERGENCY



D41A2EE9-8A5D-41BD-9B5E-D267C16ABF59.jpeg





58879F6A-7E02-45EF-A3B9-AB6924981346.jpeg



E71CFD7D-AE97-403A-B1CF-B5FCE762B300.jpeg







21BFD5C1-8FA0-4B6B-9634-7FA5E51A8D0D.jpeg



178B1D25-49C5-455A-92CE-F3F958C98279.jpeg







9BC22F76-7B67-481C-8759-1983B82DD20B.jpeg



F88B4417-F937-4507-8ECC-BBED7BD16FF2.jpeg



A8DC6952-CF7D-4B94-A38E-54BE4DCE0F02.jpeg





F66DD857-84C0-4C41-BAD4-95D13A2337FC.jpeg



66A79F8D-A6E3-4936-BA7A-AB5830A2880E.jpeg









879E821C-5BAF-4E42-A68A-E1F817CB6CBA.jpeg



5E47DBA8-E130-4AB2-BB71-CEDF7A0B7E0B.jpeg



03FB6928-AA4D-433E-82E7-4A3D55B722EB.jpeg







EA5B47CA-41F0-4562-9814-360B6C2D2FF5.jpeg



