



4887E5F1-3BCE-4E64-930E-F488833F50BC.jpeg



185ECC9D-6EA6-4F9B-AC25-6DB53BCA83C8.jpeg



AEA4F1DA-44A0-4DAC-80CC-F5666B5B0D39.jpeg



E001881F-05FE-4C6B-BF9F-C28E51B23847.jpeg



ENTREPEX

B0C0C2F5-A7E4-4493-85C3-6579E2E95701.jpeg



B713F511-C3E9-4DB5-9244-74430E41210B.jpeg



2BE2132B-FFC9-4CA9-BA06-968FF625FEFF.jpeg



974082EA-F776-42C6-84C7-EA1B34FDB32A.jpeg



E7AB599D-B410-4BC1-A162-0B4205A25F29.jpeg



18D397FC-614F-45A9-8D8E-039BA800052B.jpeg



A486DA44-D5AD-4F28-95DF-6BFF77B317AA.jpeg



9C819CD9-F717-4606-9F0D-6A1FC9C66DB5.jpeg



55E87CC3-6A8E-420C-B2B4-0A8362B43316.jpeg



1AA25C3A-94E5-4770-919A-CBC3F185F794.jpeg



2B1DB685-39DA-450B-A128-98BF1C8516CD.jpeg



A945E260-877B-4856-AA66-A4AB215B6F9B.jpeg



0D21294E-002A-4637-9260-9F546B4133E3.jpeg



4B8487AC-D472-4BF8-8311-016D0FDCCC56.jpeg



89248024-E34B-44B9-9172-36442644B810.jpeg



01DC0C6E-28AE-4289-8F36-0A21C6FD0783.jpeg



5B3E7580-ACFF-4F2D-A33C-7437934E44E0.jpeg





4A40E360-A811-44A9-A101-D29AE68ACADF.jpeg



11A2323F-F37F-4A1C-859C-6E3CDF0B1180.jpeg



7A968558-D3FD-4BEF-9679-DE69C0827CA9.jpeg



E8C87AC2-42A2-4FDD-8925-64E54C9EA962.jpeg



C4F4E4C4-39AB-41B2-A4F0-39C644D0FFDA.jpeg



ADBFFE56-272C-457F-BD5B-0825AF5C5D0D.jpeg



AEAF4ACC-B925-40E8-872F-F3D128FE3E35.jpeg



2BBE0717-E352-468E-AA0B-22DC6D323B0C.jpeg



0C0DC963-FAB7-4830-B971-0BE2552B3FCB.jpeg



47EF682D-E5A9-4978-B39A-2360A2F301EB.jpeg



E10C01FE-A512-4795-9D47-7A11B5ECC9AE.jpeg





7833C109-7F61-42C2-8EBB-F3EEE0C37EBE.jpeg



D9AA7BF0-F150-458A-928F-C97078EE167D.jpeg





F60EDFBA-AB74-40DC-A913-36DFA66F3592.jpeg







MED. BY FORD MOTOR CO.

MFD. BY FORD MOTOR CO.
GVWR/PWBV: 2259 KG (4980 LB)
GWR/AR: 1152 KG (2540 LB)
DATE: 04/18
GVHR/PMBE (FR/AV): 1127 KG (2485 LB) (RR/AR): 235/45R18 94V
TIRE/PNEU(FR/AV): 235/45R18 94V (RR/AR): 235/45R18 94V
kPa/PSI(COLD)/lb./po" (A FROID): RR/AR: 240/35
FR/AV: 240/35
VIN: 3FA6P0P5JR236956
TYPE: PC/VT
MAXIMUM LOAD/CHARGE MAXIMALE =
OCCUPANTS + LUGGAGE/BAGAGES = 375KG/ 827LB
OCCUPANTS = 5 TOTAL/TOTAIE: 2 FR/AV, 3 RR/AR



3FA6P0P5JR236956
OWNER GUIDE
VOIR LE GUIDE DU PROPRIETAIRE
COMPLIES: CES/INMB-002
EXTR: G1
TYPE: BT
TRAILER TOWING - SEE OWNER GUIDE
TRACTION A REBOINTE - VOIR LE GUIDE DU PROPRIETAIRE
IRC: B2
LDSO: F0058
AXLE TR SPR: R0063
BT 279 J HHNN
CMP 5USA-5420472-AA

TIRE AND LOADING INFORMATION

Table with 2 columns: Position (FRONT, REAR), Tire Size (240/35R18), and Load Capacity (375 kg / 827 lb).

SEE OWNERS MANUAL FOR ADDITIONAL INFORMATION
VOIR LE MANUEL DE L'USAGER POUR PLUS DE RENSEIGNEMENTS

Table with 2 columns: Tire Size (240/35R18, 240/40R18), Pressure (240 kPa, 35 PSI), and Note (NONE).

image.jpg



